

Excelbis Labs 1920 E Warner Avenue Santa Ana, CA 92705 (714) 3<mark>40</mark>-7099 http://excelbislabs.com Lic# C8-0000059-LIC **QA** Testing

1 of 3

Gelato

Sample ID: 2505EXL2347.9566 Strain: Gelato Matrix: Plant Type: Flower - Cured Sample Size: ; Batch:

Cannabinoids

Produced: Collected: Received: Completed: 05/18/2025 Batch#: 2025Q2GLT Client HSP Lic. # 516 D River Hwy #351 Mooresville, NC 28117

Summary

Date Tested



Test Batch Cannabinoids Heavy Metals Microbials Mycotoxins GCMS Pesticides LCMS Pesticides Result Pass Complete Pass Pass Pass Pass Pass

Complete

21.720% 0.131% 21.903% Total THC Total CBD **Total Cannabinoids** Analyte LOD LOQ Result Result mg/g mg/g % mg/g CBC 0.009 ND ND CBD 0.1308 1.308 CBDa ND ND 0.0424 0.050 0.424 CBG CBN 0.009 0.0104 0.104 ∆8-THC 0.019 ND ND ∆9-THC 0.2849 2.849 THCa 24.4409 244.409 THCV ND ND Total THC 217.196 21.720 Total CBD 0.131 1.308 Total CBG 0.042 0.424 Total 21.903 219.033 Date Tested: Total THC = THCa * 0.877 + Δ9-THC + Δ8 THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG. Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids. Cannabinoids: HPLC, SOP-004 Water Activity: Water Activity Meter, SOP-012 Moisture Content: Moisture Analyzer, SOP-011 Foreign Matter: Visual Inspection, SOP-001 Dr. Jerry White PhD bryn Bahakaylo Confident LIMS All Rights Reserved coa.support@confidentlims.com Dryan Zahakaylo (866) 506-5866 confider (866) 506-5866 confider (866) 506-5866 confider (872025 confidentlims.com (872005 confidentlims.com Jerry White, PhD Chief Scientific Officer confident



Excelbis Labs 1920 E Warner Ave<mark>nu</mark>e Santa Ana, CA 92705

(714) 340-7099 http://excelbislabs.com Lic# C8-0000059-LIC

QA Testing

2 of 3

Pass

Pass

Pass

Gelato

Sample ID: 2505EXL2347.9566	Produced:	Client
Strain: Gelato	Collected:	HSP
Matrix: Plant	Received:	Lic.#
Type: Flower - Cured	Completed: 05/18/2025	516 D River Hwy #351
Sample Size: ; Batch:	Batch#: 2025Q2GLT	Mooresville, NC 28117

GC Pesticides

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.231	0.7	0.7	ND	Pass
Chlordane (trans + cis)	0.0116	0.035	0.0116	ND	Pass
Chlorfenapyr	0.0058	0.0175	0.0058	ND	Pass
Cyfluthrin	0.0231	0.07	2	ND	Pass
Cypermethrin	0.0231	0.07	1	ND	Pass
Parathion Methyl	0.0058	0.0175	0.0058	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.0231	0.07	0.1	ND	Pass
Mycotoxins					Pass

Mycotoxins

Analytes	LOD	LOQ	Limit	Conc.	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.7000	5.0000		ND	Tested
Aflatoxin B2	1.7000	5.0000		ND	Tested
Aflatoxin G1	1.7000	5.0000		ND	Tested
Aflatoxin G2	1.7000	5.0000		ND	Tested
Ochratoxin A	6.6000	20.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass


Microbials

Analyte	Limit Detected / Not Detected	l Status
	RFU/g RFU/g	<u></u>
Aspergillus flavus	0 Not Detected	Pass
Aspergillus fumigatus	0 Not Detected	Pass
Aspergillus niger	0 Not Detected	l Pass
Aspergillus terreus	0 Not Detected	l Pass
Shiga toxin-producing E. Coli	0 Not Detected	l Pass
Salmonella SPP	Not Detected	l Pass

Heavy Metals

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0150	0.05	0.2	ND	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	ND	Pass

GCMS Date Tested: Pesticides: GC-MS/MS. GCMS Method SOP-006 LCMS Date Tested: Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001 Microbial Date Tested: Microbials Footnote: Microbial: SOP-010 RFU = Relative Fluorescence Units Heavy Metals Date Tested: Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Dryan Zahakaylo Chief Scientific Officer 05/18/2025 ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Gelato

Excelbis Labs 1920 E Warner Avenue Santa Ana, CA 92705

(714) 3<mark>40</mark>-7099 http://excelbislabs.com Lic# C8-0000059-LIC

QA Testing

3 of 3

Pass

Sample ID: 2505EXL2347.9566	Produced:	Client
Strain: Gelato	Collected:	HSP
Matrix: Plant	Received:	Lic. #
Type: Flower - Cured	Completed: 05/18/2025	516 D River Hwy #351
Sample Size: ; Batch:	Batch#: 2025Q2GLT	Mooresville, NC 28117

LC Pesticides

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	<mark>µg/</mark> g	µg/g			µg/g	µg/g	µg/g	µg/g	
Ab <mark>am</mark> ectin	0.033	0.1	0.1	ND	Pass	Imazalil	0.033	0.1	0.033	ND	Pass
Ace <mark>ph</mark> ate	0.033	0.1	0.1	ND	Pass	Imidacloprid	0.033	0.1	5	ND	Pass
Aceq <mark>ui</mark> nocyl	0.033	0.1	0.1	ND	Pass	Kres <mark>oxim M</mark> ethyl	0.033	0.1	0.1	ND	Pass
Aceta <mark>mi</mark> prid	0.033	0.1	0.1	ND	Pass	Malathion	0.033	0.1	0.5	ND	Pass
Aldicarb	0.033	0.1	0.033	ND	Pass	Metalaxyl	0.033	0.1	2	ND	Pass
Azoxystr <mark>o</mark> bin	0.033	0.1	0.1	ND	Pass	Methiocarb	0.033	0.1	0.033	ND	Pass
Bifenazate	0.033	0.1	0.1	ND	Pass	Methomyl	0.033	0.1	1	ND	Pass
Bifenthrin	0.033	0.1	3	ND	Pass	Mevinphos 💦	0.033	0.1	<mark>0</mark> .033	ND	Pass
Boscalid	0.033	0.1	0.1	ND	Pass	Myclobutanil	0.033	0.1	0.1	ND	Pass
Carbaryl	0.033	0.1	0.5	ND	Pass	Naled	0.033	0.1	0.1	ND	Pass
Carbofuran	0.033	0.1	0.033	ND	Pass (Oxamyl	0.033	0.1	0.5	ND	Pass
Chlorantraniliprole	0.033	0.1	10	ND	Pass 1	Paclobutrazol	0.033	0.1	0.0 <mark>33</mark>	ND	Pass (
Chlorpyrifos	0.033	0.1	0.033	ND	Pass	Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Clofentezine	0.033	0.1	0.1	ND	Pass	Phosm <mark>et</mark>	0.033	0.1	0.1	ND	Pass
Coumaphos	0.033	0.1	0.033	ND	Pass	Piperonyl Butoxide	0.033	0.1	3	ND	Pass
Daminozide	0.033	0.1	0.033	ND	Pass	Prallethrin	0.033	0.1	0.1	ND	Pass
Diazinon	0.1	0.1	0.1	ND	Pass	Propiconazole	0.033	0.1	0.1	ND	Pass
Dichlorvos	0.033	0.1	0.033	ND	Pass	Propoxur	0.033	0.1	0.033	ND	Pass
Dimethoate	0.033	0.1	0.033	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Pyridaben	0.033	0.1	0.1	ND	Pass
Ethoprophos	0.033	0.1	0.033	ND	Pass	Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Etofenprox	0.033	0.1	0.033	ND	Pass	Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Etoxazole	0.033	0.1	0.1	ND	Pass	Spiromesifen	0.033	0.1	0.1	ND	Pass
Fenhexamid	0 <mark>.0</mark> 33	0.1	0.1	ND	Pass	Spirotetramat	0.033	0.1	0.1	ND	Pass
Fenoxycarb	0. <mark>03</mark> 3	0.1	0.033	ND	Pass	Spiroxamine	0.033	0.1	0.033	ND	Pass
Fenpyroximate	0.0 <mark>3</mark> 3	0.1	0.1	ND	Pass	Tebuconazole	0.033	0.1	0.1	ND	Pass
Fipronil	0.033	0.1	0.033	ND	Pass	Thiacloprid	0.033	0.1	0.033	ND	Pass
Flonicamid	0.033	0.1	0.1	ND	Pass	Thiamethoxam	0.033	0.1	5	ND	Pass
Fludioxonil	0.033	0.1	0.1	ND	Pass	Trifloxystrobin	0.033	0.1	0.1	ND	Pass
Hexythiazox	0.033	0.1	0.1	ND	Pass						

LCMS Date Tested: Pesticides: LC-MS/MS. LCMS Method SOP-005



Dr. Jerry White PhD Bryon Jahakanglo

Confident LIMS All Rights Reserved coa.support@confidentlims.com



 Jerry White, PhD
 Bryan Zahakaylo
 (866) 506-5866
 confider

 Office
 Analyst
 www.confidentlims.com
 confider

 ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.